



## Machine data sheet



### AVR Spirit 9200 CR

Sheet no.: 11018  
Serial No.: YA9306009SR315051  
Internal No.: OCC-02979  
Year of construction: 2025  
Location: Polen  
123 Lublin

Salesperson Name: Jakub Bodziony  
Phone No.: +32 51 62 27 51  
Mobile Phone No.: +48 603 51 40 10  
E-Mail: jakubbodziony@avr.be

Link to machine: <https://avrmachinery.com/en/second-hand-machine/spirit-9200-cr>

#### AVR GREEN SELECT AVR SELECTED & REVISED SECOND HAND MACHINERY



### Configuration

|                                |                               |                                             |                                                          |
|--------------------------------|-------------------------------|---------------------------------------------|----------------------------------------------------------|
| 000 type of harvester          | trailed harvesters -200-      | 218 CR module                               | single module                                            |
| 001. row distance              | 75 cm                         | 220 deflecting rollers on first pintle belt | extra deflecting roller                                  |
| 200 sub type harvester         | 2 row offset bunkerharvester  | 221 cleaning unit second pintlebelt         | double rotary comb - mechanic hight adjustment- only web |
| 201 model                      | Spirit 9200 CR                | 223 picking off table                       | yes                                                      |
| 202 Diggging unit              | AVR quick change digging unit | 224 automatic swan neck                     | yes                                                      |
| 203 hydraulic driven discs     | no                            | 225 stone web                               | yes                                                      |
| 204 extra disc in digging unit | yes                           | 226 stone box                               | yes                                                      |
| 205 digging web                | 40 mm                         | 227 bunker                                  | WB bunker                                                |
| 206 vibrator in digging web    | Traiangular vibrator          | 231 number of camera's                      | 4                                                        |
| 210 3th web                    | 36 mm                         | 232 number of displays                      | 1                                                        |
| 211 haulm roller after 3th web | no                            | 233 dual wheels                             | no                                                       |
| 212 Haulm web                  | 210 mm                        | 234 brakes on machine                       | dual line air brakes                                     |
| 213 haulm retainers            | standard                      | 235 wheel drive                             | no                                                       |
| 215 cleaning unit              | CR module + pintle belt       | 236 automatic greasing                      | yes                                                      |
| 216 first pintle belt          | V 40 mm                       | 237 automatic oil lubrication               | yes                                                      |
| 217 second pintle belt         | U 40 mm                       |                                             |                                                          |

### Comment

AVR Spirit 9200 CR  
Construction year 2025  
AVR Green Select 3 Star machine  
Row distance 75cm (can be changed to 90cm)  
Quick change digging unit  
extra disc in digging unit  
1 long digging web pitch 40mm  
Stainless steel plates in digging unit and digging web  
haulm web pitch 210mm



## Machine data sheet



sieving web in haulm web pitch 36mm  
cleaning module: Crossrollers  
first pintle belt pitch 40mm V profile  
extra deflecting roller for extra capacity on first pintle belt  
second pintle belt pitch 40mm U profile  
double rotary comb on second pintle belt (mechanical height adjustment)  
automatic angle adjustment on pintle belt unit  
sun roof over picking off table  
stone belt next to picking off table  
stone box  
WB bunker (unloading while harvesting)  
automatic oil lubrication on bunker chain  
automatic greasing on machine  
machine equipped with 4 camera's  
1 camera display  
automatic land levelling on machine

-----  
AVR Spirit 9200 CR  
Rok produkcji: 2025  
Maszyna z certyfikatem AVR Green Select 3 Star  
Odległość między rzędami: 75 cm (możliwość zmiany na 90cm)  
System szybkiej zmiany przystawki kopiacej  
Dodatkowy dysk w zespole kopiącym  
1 długa taśma kopiąca o szczelinie 40 mm  
Płyty ze stali nierdzewnej w zespole kopiącym i taśmiekopiącej  
Szczelina taśmy łączinowej 210 mm  
Szczelina taśmy odsiewającej w taśmie łączinowej 36 mm  
Moduł czyszczący: wałki krzyżowe CrossRoller  
Szczelina pierwszej taśmy 40 mm, profil V  
Dodatkowy wałek skośny dla zwiększenia wydajności pierwszej taśmy jeżowej  
Szczelina drugiej taśmy jeżowej 40 mm, profil U  
Podwójne wałki skośne na drugiej taśmie jeżowej (mechaniczna regulacja wysokości)  
automatyczna regulacja kąta nachylenia zespołu taśm jeżowych  
daszek przeciwsłoneczny nad stołem przebiegającym  
taśma separacji kamieni obok stołu przebiegającego  
skrzynia na kamienie  
zbiornik WB (rozładunek podczas zbioru)  
automatyczne smarowanie olejem łańcucha zbiornika  
system automatycznego smarowania maszyny  
maszyna wyposażona w 4 kamery  
1 wyświetlacz kamer  
automatyczne poziomowanie maszyny na nierównościach terenu



## Machine data sheet

---



Additional pictures: